

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5290	- Buoy 2 West of ledge, dry at low water.	43 49 17 N 69 34 12 W				Red nun.	
		*					27/02
14592	- Approach Channel Lighted Buoy 14		F I R 4s		4	Red.	Replaced by nun Dec. 1 to Apr. 1.
							* 27/02
15805	- LIGHT 4	41 31 12 N 70 40 54 W	F I R 2.5s	28	4	TR on skeleton tower.	
		*					25/02
15807	- Buoy 4A	41 31 13 N 70 40 52 W				Red nun.	
		*					25/02
*16502	- Buoy 8A					Red nun.	Maintained from May 1 to Oct. 16. Private aid.
							25/02
Narragansett Bay							
Eastern Approach							
17675	Narragansett Bay Entrance Lighted Whistle Buoy NB	41 23 00 N 71 23 24 W	M o (A) W		6	Red and white stripes with red spherical topmark.	RACON: B (—•••). HORN: 1 blast ev 15s (2s bl).
	*		*		*		* 27/02
25945	AUNT PHEBE ROCK LIGHT 10 On ledge.	40 53 08 N 73 46 31 W	F I R 4s	24	6	TR on skeleton tower.	
		*					30/02
Great South Bay							
Farm Shoals Channel							
29210	- Lighted Buoy 2	40 38 06 N 73 14 34 W	Q R		3	Red.	Replaced by nun when endangered by ice.
		*					30/02
37300	- Channel Lighted Buoy 10	40 38 34 N 74 07 44 W	Q R			Red.	
		*					28/02
37325	Bergen Point Lighted Buoy 14	40 38 33 N 74 08 41 W	F I R 4s		4	Red.	
		*					28/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Burlington Bay							
39615	- Breakwater North Light	44 28 48 N 73 13 48 W	FI W 2.5s	35	15	NW on skeleton tower with concrete base worded DANGER BREAKWATER.	Maintained from May 1 to Nov. 1. HORN: 1 blast ev 15s (2s bl).
							* 25/02
39815	Town Farm Bay Buoy 2						Remove from list.
							* 30/02
39820	One-Foot Spot Buoy 2 On west side of shoal.					Red nun.	
	*						30/02
39825	DIAMOND ISLAND LIGHT	44 14 12 N 73 20 03 W	FI W 4s	37	6	White skeleton tower, small white house.	
		*					27/02
39825	DIAMOND ISLAND LIGHT	44 14 12 N 73 20 03 W	FI W 2.5s	37	6	White skeleton tower, small white house.	
			*				30/02
39875	YELLOW HOUSE POINT LIGHT Y	43 58 31 N 73 24 25 W	FI W 4s	33	6	NB on black skeleton tower.	
		*					27/02
39900	WATCH POINT LIGHT WP	43 53 09 N 73 22 29 W	FI W 4s	20	6	NG on white skeleton tower.	
		*					27/02
39945	ORWELL BLUFF LIGHT OB	43 46 41 N 73 20 59 W	FI W 4s	38	6	NG on black skeleton tower.	
		*					27/02
39990	- LIGHT 9	43 41 29 N 73 24 11 W	FI G 2.5s	25	4	SG on skeleton tower.	
		*					27/02
40000	- LIGHT 13	43 41 18 N 73 24 15 W	FI G 4s	25	3	SG on skeleton tower.	
		*					27/02
40100	WHIPPLE POINT LIGHT	44 57 48 N 72 13 48 W	FI W 4s	25	6	On white skeleton tower.	Maintained year round.
		*					27/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Delaware Bay (West Side)							
2215	Lower Middle Wreck Buoy LMW Marks steamer MOHAWK.	39 00 07 N 75 12 03 W				Red nun.	
		*					30/02
2220	Channel Crossing Buoy 1	39 02 42 N 75 13 35 W				Green can.	
		*					30/02
2225	Channel Crossing Buoy 2	39 02 42 N 75 13 35 W				Red nun.	
		*					30/02
Delaware Bay (West Side)							
2290	Clark Point Wreck Buoy 1	39 01 34 N 75 19 32 W				Green can.	
		*					30/02
7682	- Lighted Buoy 78A		FI R 2.5s		5	Red.	Replaced by LIB of lower intensity when endangered by ice.
					*		30/02
SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)							
Craighill Channel							
<i>Channel buoys located 75 feet outside channel limit.</i>							
7995	- ENTRANCE RANGE FRONT LIGHT	39 07 41 N 76 16 08 W	Oc W 4s	24		On multi-pile.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
		*					30/02
7997	-PASSING LIGHT		Iso W 4s	24	5	On same structure as Craighill Channel Entrance Range Front light.	
						*	30/02
8000	- ENTRANCE RANGE REAR LIGHT 2001 yards, 343.1° from front light.		F W	88		White cylindrical tankhouse on skeleton tower on multiple pile structure.	Visible on range line only. Lighted throughout 24 hours.
	*						30/02
8615	- Lighted Buoy 33		FI G 6s		6	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8620	- Lighted Buoy 34		FI R 6s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8635	- Lighted Buoy 37		Q G		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8640	- Lighted Buoy 38		FI R 2.5s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8780	- Lighted Buoy 39		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8785	- Lighted Buoy 40		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8795	- Lighted Buoy 41		FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8860	- Lighted Buoy 43		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8865	- Lighted Buoy 44		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8870	- Lighted Buoy 45		FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8875	- Lighted Buoy 46	39 22 06 N 76 07 41 W	FI R 2.5s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02
8895	- Lighted Buoy 47		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
					*		30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Eastport Harbor							
19880	- LIGHT 1E	38 57 57 N 76 28 09 W	FI G 2.5s	15	4	SG on pile.	
					*		30/02
20675	- ENTRANCE LIGHT 3	39 13 51 N 76 30 30 W	FI G 2.5s	15	4	SG on pile.	
		*					30/02
29415	SHACKLEFORD SLUE LIGHT		FI W 4s	15	6	NB on pile.	
					*		30/02
30370	- Channel Lighted Bell Buoy 11		Q G		4	Green.	
					*		30/02
Oak Island Channel							
30415	- LIGHT 1	33 54 02 N 78 01 13 W	FI G 4s	15	4	SG on pile.	
	*	*	*	*	*		30/02
30420	- Daybeacon 2	33 54 04 N 78 01 15 W				TR on pile.	
	*		*	*	*		30/02
34525	- LIGHT 25	34 51 27 N 76 21 11 W	FI G 4s	15	4	SG on pile.	
		*			*		30/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
775	Hillsboro Inlet Light	26 15 36 N 80 04 54 W	FI (2) W 30s	136	28	Octagonal pyramidal iron skeleton tower with central stair cylinder, lower third of structure white, upper two-thirds black.	Obscured from 015° to 186.
			*				30/02
*845.3	NOAA Data Lighted Bouy 41012	30 00 00 N 80 30 00 W	FI (4) Y 20s			Yellow disc-shape with mast.	
							30/02
2750.5	- MIDDLE DIKE OBSTRUCTION LIGHT	32 50 01 N 79 56 02 W	FI W 4s	21	5	NW on skeleton tower worded DANGER UNDERWATER DIKE.	
					*		30/02
*3707.5	- Buoy 2A					Red nun.	
							30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3710	- Buoy 3						<i>Remove from list.</i>
							* 30/02
*3710.5	- Buoy 3A				Green can.		30/02
	Folly River						
3730	- Buoy 1		FI G 4s	12	4	Green can.	
	*					*	30/02
*3775.5	- Buoy 1				Green can.		30/02
	St. Johns River						
9420	MOTHERS ARMS LIGHT WR2	28 49 00 N 81 14 34 W	FI R 4s	17	3	TR on pile.	
		*					30/02
13445	CHANNEL FIVE LIGHT 2	24 48 54 N 80 46 28 W	FI R 4s	16	4	TR on pile.	
		*					30/02
21470	- Buoy 3A				Green can.		
	*					*	30/02
21475	- Buoy 3B				Green can.		
	*					*	30/02
24735	- LIGHT 7	27 43 09 N 82 36 39 W	FI G 6s	16	3	SG on pile.	
		*					30/02
24735.2	- LIGHT 10	27 43 53 N 82 36 37 W	FI R 4s	16	3	TR on pile.	
		*					30/02
	Clearwater Marina Channel						
25730	- Daybeacon 2	27 54 47 N 82 49 09 W			TR on pile.		
		*					30/02
25740	- Daybeacon 4						<i>Remove from list.</i>
							* 30/02
25750	- Daybeacon 4				TR on pile.		
	*					*	30/02
25755	- LIGHT 6		FI R 4s	16	3	TR on pile.	
	*		*	*	*		30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25760	- Daybeacon 6					TR on pile.	
	*					*	30/02
25763	- Daybeacon 8					TR on pile.	
	*						30/02
34945	WHITE POINT LIGHT 110	32 37 44 N 80 16 37 W	FI R 4s	12	4	TR-TY on pile.	
		*					30/02
Charleston Harbor - Savannah River							
Coosaw River							
35210	- LIGHT 186 Marks shoal extending out between Combahee and Coosaw River.	32 30 25 N 80 30 26 W	FI R 2.5s	12	3	TR-TY on dolphin.	
		*					30/02
SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
195	Texas A&M Research Lighted Buoy B						Remove from list.
							* 24/02
200	Texas A&M Research Lighted Buoy A						Remove from list.
							* 24/02
*1265	LLOG-108-1 Lighted Buoy	28 35 03 N 95 25 05 W	Q R		Red.		SIGN: LLOG-BR-415-1 Private aid.
							27/02
1405	NOAA Lighted Buoy 42002 (ODAS)	25 10 48 N 93 24 30 W	FI (4) Y 20s	33	5	Yellow disc buoy with mast.	Maintained by National Oceanic and Atmospheric Administration.
		*					25/02
4010	FORT BARRANCAS RANGE REAR LIGHT 350 yards, 000° from front light.		FG	54		On skeleton tower.	Lighted throughout 24 hours.
			*				29/02
4840	- Daybeacon 9					SG on pile.	Ra ref.
							* 30/02
4845	- Daybeacon 10					TR on pile.	Ra ref.
							* 30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4900	- Daybeacon 9				SG on pile.		Ra ref. * 23/02
	*Delete Heading: *Marine Scientific Marine Research						
5880	- LIGHT A						Remove from list. * 25/02
5885	- LIGHT B						Remove from list. * 25/02
5890	- LIGHT C						Remove from list. * 25/02
	*Delete Heading: *Mobile Bay						
5892	Upper Bay Barge Fishing Reef Daybeacons (5)	30 34 42 N 87 56 54 W		8	NW on piles worded DANGER SUBMERGED FISHING REEFS.		Marks perimeter 150ft. square fishing reef. Private aid. 25/02
	PASCAGOULA HARBOR (Chart 11375)						
	Bayou Casotte Channel						
7355	- RANGE A FRONT LIGHT	30 20 09 N 88 30 46 W	FI W 2.5s (Day) FI G 2.5s (Night)	48 45		Skeleton tower on piles.	Visible on range line only. * 30/02
			*	*	*	*	*
7360	- RANGE A REAR LIGHT 935 yards, 000.2° from front light.	30 20 36 N 88 30 46 W	Iso W 6s (Day) Iso G 6s (Night)	80 83		Skeleton tower on piles.	Visible on range line only. * 30/02
			*	*		*	*
	*Delete Headings: *CHANDELEUR AND BRETON SOUNDS (Chart 11363) *Breton Sound						
11475	BRETON ISLAND LIGHT						Remove from list. * 25/02
	*Add Headings: *CHANDELEUR AND BRETON SOUNDS (Chart 11363) *Breton Sound						
11500	CALIFORNIA BAY PIPELINE LIGHT CP-3		Q W				Private aid. 25/02
*14677	PETROUNITED TANKER DOCK LIGHTS (3) LDB mile 203.8	30 16 59 N 91 09 19 W	FI R 2.5s	36		On wharf and mooring dolphins.	Private aids. 30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14690	PETROUNITED TANKER DOCK LIGHTS (3) LDB mile 205.5						<i>Remove from list.</i>
							* 30/02
TIMBALIER AND TERREBONNE BAYS (Chart 11357)							
Cat Island Pass							
17110 665	- Entrance Lighted Whistle Buoy CI	29 00 13 N 90 33 55 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
		*					25/02
17115	- Lighted Buoy 1	29 01 09 N 90 34 05 W	FI G 6s		4	Green.	
		*					25/02
*22867 34267	- Buoy S	29 22 08 N 94 47 39 W				Red nun with green band and yellow triangle.	
							30/02
*22886.05	- Buoy 2	29 22 32 N 94 47 46 W				Red nun.	
							30/02
22887	- LIGHT 27 280 feet outside channel limit.	29 22 42 N 94 48 33 W	FI G 2.5s	17	4	SG on pile.	Ra ref.
		*					30/02
22888	- LIGHT 28	29 22 46 N 94 48 22 W	FI R 2.5s	17	4	TR on pile.	
		*					30/02
*22888.05	- Buoy N	29 22 28 N 94 48 12 W				Red nun with green bands.	
							30/02
23310	- LIGHT 81	29 37 55 N 94 57 49 W	FI G 2.5s	17	4	SG on pile.	
		*					27/02
23330	- LIGHT 85 120 feet outside channel limit.		FI G 6s	20	4	SG on pile.	Ra ref.
				*			27/02
31355	- LIGHT 123		FI G 4s	17	3	SG-SY on pile.	Ra ref.
							* 23/02
31950	- Daybeacon 56	30 18 18 N 87 30 00 W				TR-TY on pile.	Ra ref.
							* 23/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33330	- JUNCTION LIGHT	29 49 18 N 90 04 04 W	FI (2+1) R 6s		4	JR-TY on dolphin.	Higher intensity beam up Algiers Alternate Route and down Bayou Barataria.
						*	27/02
33365	TERREBONE PARISH WATER INTAKE LIGHTS (2)	29 34 30 N 90 43 04 W	FI R 2.5s	15		On dolphins.	Private aid.
		*		*			30/02
*Delete Headings: *CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355) *New Orleans - Port Arthur *Morgan City - Port Allen (Alternate Route)							
33500	- Buoy 10						Remove from list.
							*
							27/02
*Add Headings: *CATAHOULA BAY TO WAX LAKE OUTLET (Chart 11355) *New Orleans - Port Arthur *Morgan City - Port Allen (Alternate Route)							
*33502	- Daybeacon 10 120 feet outside channel limit.	29 44 01 N 91 10 46 W				TR-TY on pile.	Ra ref.
							27/02
33505	- Buoy 11						Remove from list.
							*
							27/02
*33507	- Daybeacon 11 135 feet outside channel limit.					SG-SY on pile.	Ra ref.
							27/02
33510	- Buoy 12						Remove from list.
							*
							27/02
*33512	- Daybeacon 12 165 feet outside channel limit.					TR-TY on pile.	Ra ref.
							27/02
33515	- Buoy 13						Remove from list.
							*
							27/02
*33517	- Daybeacon 13 80 feet outside channel limit.					SG-GY on pile.	Ra ref.
							27/02
33520	- Buoy 14						Remove from list.
							*
							27/02
*33522	- Daybeacon 14 90 feet outside channel limit.	29 43 37 N 91 11 08 W				TR-TY on pile.	Ra ref.
							27/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33525	- Buoy 15						Remove from list.
							* 27/02
*33527	- Daybeacon 15 215 feet outside channel limit.				SG-SY on pile.		Ra ref.
							27/02
33530	- Buoy 16						Remove from list.
							* 27/02
*33532	- Daybeacon 16				TR-TY on pile.		Ra ref.
							27/02
33535	- Buoy 17						Remove from list.
							* 27/02
*33537	- Daybeacon 17 200 feet outside channel limit.	29 43 29 N 91 11 19 W			SG-SY on pile.		Ra ref.
							27/02
33672	Green Pines Island Buoy 2						Remove from list.
							* 27/02
33673	Green Pines Island Buoy 4						Remove from list.
							* 27/02
*34267 22867	- Buoy S	29 22 08 N 94 47 39 W			Red nun with green band and yellow triangle.		
							30/02
35427	BRAZORIA WILDLIFE REFUGE WAVE BARRIER LIGHT	29 04 57 N 95 12 25 W	F I R 2.5s		On wave barrier.		Private aid.
							27/02
35947	- Buoy 107				Green can with yellow square.		
							* 24/02
	*Delete Headings: *MATAGORDA BAY (Chart 11317) *Freeport - Port O' Connor *Matagorda Bay						
35950	- LIGHT 108						Remove from list.
							* 24/02
35955	- Buoy 108	28 27 24 N 96 21 36 W			Red nun with yellow triangle.		
							* 24/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35960	- Buoy 109					Green can with yellow square.	
	*						24/02
35962	- LIGHT 110						Remove from list.
							*
							24/02
35963	- Buoy 110					Red nun with yellow triangle.	
	*						24/02
35975	- Buoy 114						Remove from list.
							*
							27/02
37410	- Buoy 66						Remove from list.
							*
							25/02
Corpus Christi Bay							
37415	- Buoy 66	27 48 54 N 97 11 42 W				Red nun with yellow triangle.	
	*						25/02
37420	- OBSTRUCTION LIGHT 66A Marks submerged pipe.	27 48 42 N 97 11 48 W	Q R	17	3	TR-TY on pile.	
	*						25/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
198	NOAA Environmental Lighted Buoy EB 46054	34 16 01 N 120 26 18 W	FI (4) Y 20s			Yellow disc-shaped buoy.	
		*					30/02
3615	- WEST JETTY LIGHT 3	34 08 36 N 119 13 00 W	FI G 2.5s	42	6	SG on post.	
				*			30/02
3650	- SOUTH JETTY LIGHT 4	34 09 30 N 119 13 30 W	FI R 4s	39	5	TR on post.	Obscured from 230° to 060°.
				*			30/02
3655	- NORTH JETTY LIGHT 5	34 09 30 N 119 13 30 W	FI G 4s	39	6	SG on post.	
				*			30/02
9235	- BAR RANGE FRONT LIGHT	43 40 05 N 124 12 08 W	Q R	24		KRB on skeleton tower.	Visible 1.5° each side of rangeline.
		*	*				*
							30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9240	- BAR RANGE REAR LIGHT 876 feet, 086° from front light.		Iso R 6s	48		KRB on skeleton tower.	Visible 1.5° each side of rangeline.
			*				* 30/02
*11802	CASCADE LOCKS WARNING SIGN	45 41 09 N 121 52 01 W		20		Sign on dolphin worded WARNING WASTEWATER OUTFALL PIPE.	Private aid.
							30/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19590	- SOUTH LIGHT 3		FI G 4s	47 14	8	White cylindrical tower with green band.	
					*		30/02
19640	- RANGE FRONT LIGHT						Remove from list.
							* 30/02
19645	- RANGE REAR LIGHT 1,000 feet, 236° from front light.						Remove from list.
							* 30/02
19830	- HARBOR LIGHT	41 44 13 N 87 30 29 W	FI R 2.5s	51 16	7	White cylindrical tower with red band.	
							30/02
19850	- RIVER ENTRANCE LIGHT	41 43 56 N 87 31 46 W	FI G 2.5s	28 9	4	SG on post.	
							30/02
PORT WASHINGTON TO WAUKEGAN (Chart 14904)							
Waukegan							
20305	- SOUTH HARBOR MARINA LIGHT 2	42 21 21 N 87 49 14 W	Q R	26 8		On pile.	Maintained from Apr. 1 to Nov. 1. Private aid.
		*					30/02
20315	- Harbor Light	42 21 38 N 87 48 48 W	Oc G 4s	36 11	14	On cylindrical tower with green band. 35	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s sj). Operates from Apr. to Dec.
		*					30/02
20645	- BREAKWATER ENTRANCE SOUTH SIDE LIGHT		FI G 2.5s	48 15	6	White cylindrical tower with green band.	
				*	*		30/02
20650	- SOUTH ENTRANCE LIGHT 1	43 00 27 N 87 52 37 W	FI G 4s	27 8	4	SG on post.	
		*					30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20655	- SOUTH ENTRANCE LIGHT 2	43 00 30 N 87 52 35 W	FI R 4s	35 11	4	White cylindrical tower with red band.	
		*					30/02
20660	- NORTH ENTRANCE LIGHT 1	43 02 37 N 87 52 49 W	FI G 4s	34 10	7	White cylindrical tower with green band.	
		*			*		30/02
20665	- NORTH ENTRANCE LIGHT 2	43 02 41 N 87 52 48 W	FI R 4s	32 10	4	TR on post. 20	
		*					30/02
20720	- SOUTH DISPOSAL AREA LIGHT 2	43 00 17 N 87 53 04 W	FI R 2.5s	31 9	4	TR on pile.	
		*					30/02
20751	- War Memorial South Daybeacon	43 02 19 N 87 53 45 W		15 5		NW on pile worded DANGER BREAKWATER.	Private aid.
		*					30/02
MicKinley Marina							
<i>Aids to navigation maintained from Apr. 1 to Oct. 31.</i>							
20755	- LIGHT 1	43 02 46 N 87 52 55 W	Q G	20 6		SG on post.	Private aid.
		*					30/02
20756	- PREFERRED CHANNEL LIGHT A/B	43 02 48 N 87 52 51 W	FI (2+1) R 6s	21 6		JR on post.	Private aid.
		*					30/02
20757	- LIGHT 2	43 02 42 N 87 52 53 W	FI R 2.5s	21 6		TR on post.	Private aid.
		*					30/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.